



Acoustics  
accessories




# Hash

**EN** Hash is a suspended ceiling system designed to deliver efficient sound damping. Consisting of 14 ecoPET large baffles arranged in a perpendicular manner, intersecting with each other, the end construction forms a checkered dome that extends from the ceiling. It can take the shape of either a circle or square, allowing air to circulate between the components for enhanced sound absorption. This pendant ceiling system was meticulously crafted to diminish sound levels in expansive office spaces and emanates a commanding presence, captivating observers with its dynamic allure.

**DE** Hash ist ein System für abgehängte Decken, das für eine effiziente Schalldämpfung sorgt. Es besteht aus 14 großen ecoPET-Kulissen, die senkrecht angeordnet sind und sich überkreuzen. Die Endkonstruktion bildet eine schachbrettartige Kuppel, die von der Decke absteht. Sie kann die Form eines Kreises oder eines Quadrats annehmen, so dass die Luft zwischen den Komponenten zirkulieren kann, um die Schallabsorption zu verbessern. Dieses hängende Deckensystem wurde sorgfältig entwickelt, um den Schallpegel in großen Büroräumen zu senken. Es strahlt eine beeindruckende Präsenz aus und fesselt den Betrachter durch seine dynamische Ausstrahlung.

### Example



### Quickinfo

	Hash Round	Hash Square
size	Ø1200×293 ■ 01 Ø1600×300 ■ 02	1200×1200×300 ■ 03 1600×1600×300 ■ 04
fabric color	ARCHI felt ecoPET color palette ◆ archixx archixx – choose color from page 266	



### Create my unique code!

9111 - ■ - 00 - ◆









Hash Round O1





Hash Round O2



Hash Square O1



Hash Square O2






# ARCHI felt ecoPET 12 mm

**EN** The high-quality PET sound panels are robust, durable, and have a slightly textile surface that can be washed. They have excellent sound-absorbing properties, are flame-resistant and recyclable.

**DE** Hochwertige PET-Akustikplatten sind massiv, strapazierfähig, mit einer leicht textilen Oberfläche, die gewaschen werden kann. Sie haben hervorragende Schalldämmeigenschaften, sind schwer entflammbar und können recycelt werden.



## ARCHI felt ecoPET properties

### Measurements

2800 mm × 1200 mm × 12 mm

gross size

### Flammability Class

B-s1,d0

### Acoustic values

Mounting method	Directly on the wall	50 mm cavity	50 mm cavity + 50 mm rockwool	100 mm cavity	100 mm cavity + 100 mm rockwool
NRC (100–5000 Hz)	0.40	0.75	0.95	0.80	1.00
aw (100–5000 Hz)	0.25	0.60	1.00	0.80	0.95
Acoustic Class	D	C	A	B	A

